

Delta™

Children's Products

Customer Service:


Web Site: www.deltachildrenproducts.com

Delta Children's Products

114 West 26th Street

New York, NY 10001

Tele.212-645-9033



Model shown is example only.
Styles may vary.

Changing Table

Adult assembly required.

Small parts may present a choking hazard prior to assembly.

Enclosed please find simple step-by-step instructions to help you quickly assemble your product. Before you begin we recommend that you follow the steps below:


1. Please read the instructions thoroughly
2. Identify all parts and hardware

⚠ Do Not Use Power Drills or Drivers


To protect your parts during assembly please place them on a soft surface. To clean surface use only water on a damp cloth. Do not use window cleaners or cleaning abrasives as it will scratch the surface and could damage the protective coating.

PARTS


Ⓐ (1) Left End Frame




Ⓑ (1) Right End Frame




Ⓒ (1) Back Rail Top




Ⓓ (1) Back Rail Middle




Ⓔ (4) Lower Rails




Ⓕ (1) Front Rail Top




Ⓖ (1) Top Shelf




Ⓗ (2) Lower Shelves




Ⓙ (14) 1-1/2" Allen head Bolts



Ⓛ (1) Foam Pad



Ⓚ (1) Allen Wrench





WARNING

- READ ALL INSTRUCTIONS BEFORE USE OF THE CHANGING TABLE OR THE CHANGING PAD.
- KEEP ALL INSTRUCTIONS FOR FUTURE USE.
- **WARNING: FALL HAZARD** - TO PREVENT DEATH OR SERIOUS INJURY, ALWAYS KEEP CHILD WITHIN ARM'S REACH.
- **DO NOT** USE THIS DRESSING/CHANGING TABLE OR CHANGING PAD IF THERE ARE ANY LOOSE JOINTS, MISSING OR BROKEN PARTS AND/OR SHARP EDGES. PLEASE CONTACT **DELTA CHILDREN'S PRODUCTS CUSTOMER SERVICE: 114 WEST 26TH STREET, NEW YORK, NY 10001** FOR REPLACEMENT PARTS AND INSTRUCTIONAL LITERATURE. **DO NOT** SUBSTITUTE PARTS OF ANY KIND.
- WHEN CHILD REACHES A MAXIMUM WEIGHT OF 30LBS, THE DRESSING/CHANGING TABLE SHALL NO LONGER BE USED.
- THIS PRODUCT IS NOT INTENDED TO BE USED AS A CHANGING TABLE WITHOUT THE PAD PROVIDED BY DELTA CHILDREN'S PRODUCTS.
- USE OF THE PRODUCT WITHOUT THIS MAY RESULT IN DEATH OR SERIOUS INJURY TO YOUR CHILD FROM FALLING. FOLLOW ALL INSTRUCTIONS ON ATTACHING AND USING THE PAD PROVIDED BY DELTA CHILDREN'S PRODUCTS.

Changing Table Assembly

Step 1

Attach the (1) Back Rail Middle (Part D) & (1) Front Rail Top (Part F) **BE SURE THE GROOVES ARE TOWARDS THE BOTTOM OF THE UNIT AND FACING INWARD.** & (4) Lower Rails (Part E) to the Left End Frame (Part A) using (6) 1-1/2" Allen head Bolts (Part J). See Figure 1.




Figure 1

Model shown is example only.
Styles may vary.





Figure 2

Step 2

Lay the Left End Frame on the floor, rails up. Slide the Top Shelf (Part G) in the grooves on the Top Rails, into the groove on the Left End Frame, insert the pins on the top shelf into the holes in the rails. **GENTLY PULL THE RAILS APART.** Slide (2) Lower Shelves (Part H) in the grooves on the Lower Rails, into the groove on the Left End Frame. See Figure 2.



Model shown is example only.
Styles may vary.

Step 3

Attach the Right End Frame (Part B) to the Rails using (6) 1-1/2" Allen head Bolts (Part J). See Figure 3.




Figure 3

Model shown is example only.
Styles may vary.

Step 4

Insert the tenon of the Back Rail Top (Part C) into the slot on the top of the Back Rail Middle (Part D), Then insert the 1-1/2" Allen head Bolts (Part J), Through the rear legs into the threaded insets onto the Back Rail Top (Part C). See Figure 4.




Figure 4

Model shown is example only.
Styles may vary.

Step 5

1. Check that the bolt securing the strap is tight using the Allen Wrench (Part K).
 2. Insert the strap through the hole in the Foam Pad (Part L).
 3. Place Foam Pad (Part L) on Top shelf (Part G).
- See Figure 5 & 5A.





Figure 5




Figure 5A

Model shown is example only.
Styles may vary.

RESTRAINT HARNESS SYSTEM USE:

- . Place the infant on the Changing Table Foam Pad.
- . Position the Restraint Harness over the middle of the infant's torso and insert the buckled ends into each other until they lock shut with a click.
- . Gently pull the loose end of the strap to lightly snug the Restraint Harness around the infant.

Maintenance


- . Check fasteners periodically for tightness. **DO NOT** over tighten. This may cause distortion or breakage.



WARNING: FALL HAZARD


ALWAYS KEEP CHILD WITHIN ARMS REACH.

ASSEMBLY INSTRUCTIONS



TO FASTEN STRAP - PUTH BUCKLE SIDE TOGETH-
ERBESURE BUCKLE IS FULLY FASTENED TO
SECURE CHILD SAFFELY

TO RELEASE PRESS BOTH TABS AND PULL APART



Warranty: Your Delta Baby Gear is warranted to be free from defects for a period of 90 days from the date of purchase under normal use. This warranty extends only to the original retail purchaser and is only valid when supplied with proof of purchase, or if received as a gift, when the registration is on file with Delta.

To register your product for important safety alerts and updates to your product please visit <http://deltaenterprise.com/register.asp>

Please do not return this item to the store before contacting us about missing parts or with any questions.

In the event that you need to contact our customer service department please have the Style Number and Lot Number available.

To report a problem, please log on to www.deltachildproducts.com and click the Customer Service Tab, or log on to www.deltaenterprise.com/customer_service.asp or contact us by phone at (212) 645-9033.